



STAR
SMART
BUILDING SOLUTIONS



ADVANCED TILE ADHESIVE SOLUTIONS FOR MODERN CONSTRUCTION



INTRODUCTION

Star TiloSetters are next-generation tile adhesive range engineered for strength, durability, and precision. Formulated using superior quality Star Cement manufactured in North East India's most advanced facility and premium quality white cement for white based —Star TiloSetters delivers unmatched bonding performance across a variety of applications. Enhanced with highly modified polymers, this adhesive ensures excellent flexibility, water resistance, and long-term reliability on both interior and exterior surfaces. Whether you're a professional contractor or a discerning homeowner, Star TiloSetters delivers the perfect blend of advanced technology and proven quality—setting a new benchmark in tile

APPLICATION AREAS



External Facade System



Pools, Spa & Water Bodies System



Commercial Flooring System



Residential Tiling System



Industrial Flooring System

ADVANTAGES OF USING STAR TILOSETTERS



Superior Bond Strength



Polymer Modified



Extended Open Time



No Cracking of Tiles



No Hollow Sound



Non-Slip Adhesive



For Tiles & Natural Stones



For Wet & Dry Areas



Low VOC

STAR TiloSetter

RELIABLE BONDING. EVERY TIME.



Suitable for fixing porous
clay and ceramic tiles



The original Star TiloSetter is a high-performance tile adhesive crafted using Star Cement renowned for its superior strength and consistency and premium quality white cement for white based. Designed with advanced technology, this adhesive ensures reliable surface bonding for interior tiles applications. Whether you're renovating your home or working on a new home, Star TiloSetter provides dependable performance that lasts.




Polymer modified



Recommended for dry interior
applications only



Open time - 15 mins



Recommended for small sized
floor and wall tiles



ENHANCED GRIP. SMOOTH APPLICATION.




Suitable for fixing medium
sized ceramic & vitrified tiles



Step up your tiling game with Star TiloSetter Premium—a professional-grade adhesive that combines the power of Star Cement with enhanced polymer technology for superior bonding and workability and premium quality white cement for white based. Ideal for vitrified and ceramic tiles, this premium mix ensures long-lasting adhesion and effortless application across a wide range of surfaces including interior wet surfaces.



Recommended for interior &
exterior floor & wall applications



Recommended for medium
sized floor and wall tiles



Also suitable for interior wet areas
like bathrooms, kitchen & balconies



Polymer modified



Open time - 20 mins



**ENGINEERED FOR
EXCELLENCE.**




**Suitable for fixing large sized
tiles, marbles & stones**



Star TiloSetter Elite is crafted for high-end applications that demand unmatched strength, flexibility, and durability. Formulated with Star Cement and cutting-edge additives and premium quality white cement for white based, it delivers exceptional performance in exteriors water bodies and high-traffic zones. Perfect for large-format tiles and natural stone installations.



**Recommended for interior and
exterior, floor & wall applications**



**Recommended for large
sized tiles, marbles & stones**



**Also suitable for exterior wet areas
like water bodies, swimming pools &
claddings. Also suitable for
tile-on-tile application**



Highly polymer modified



Open time - 30 mins

STAR TiloSetter

ULTIMA



THE ULTIMATE IN TILE ADHESION.



**Suitable for fixing large sized
& slim tiles, industrial grade &
natural stones**

At the pinnacle of tiling solutions, Star TiloSetter Ultima sets a new benchmark in tile adhesive performance. Infused with white cement and advanced polymer-modified technology, it offers supreme flexibility, water resistance, and unmatched tensile strength. Built for challenging environments like industrial floors, swimming pools, and facades, Ultima is the choice of the professionals.



**Recommended for interior and
exterior, floor & wall applications**



**Suitable for both domestic &
commercial floors & walls**



**Highly polymer modified with
extended deformation time.**




**Compatible with all types of tiles,
stones, glass mosaic, marbles etc**



Open time up to 35 mins


APPLICATION




Clean the surface




Surface saturation with water (SSD condition)




Add water first




Add powder to water




Mix it water




Check material consistency




Wait 5 minutes and remix before use



Spread adhesive with notch trowel




Back buttering



Place tiles within open time



Move tiles opposite to notches & tap gently



Wait 24 hours & fill joints with tile grout

COVERAGE



Approx
55-65 sq.ft./20 kg bag
at 3 mm thickness
(using 6 mm x 6 mm notch)



Approx
27-33 sq.ft./20 kg bag
at 6 mm thickness
(using 12 mm x 12 mm notch)


****Coverage will vary depending on trowel notch size, type, size of tile and substrate smoothness and evenness.**

12 months for sealed pack when stored under cover, out of direct sunlight, dampproof condition and protect from extremes of temperature.


GROUTING

- Grouting should be carried out after 24 hours of tiling.
- Use the appropriate grouting material from Star GroutSolidseal of cementitious and epoxy grouts.

TOOLS & TACKLES FOR ADHESIVE & GROUTS




**Square
Notch Trowel**
6 mm x 6 mm



**Square
Notch Trowel**
12 mm x 12 mm




Grout Rake



Spacers
2mm | 3mm | 4mm
5mm | 8mm | 10mm

SAFETY PRECAUTIONS



Keep out of the reach of children.



Wear suitable protective clothing, gloves and eyes/face protection.



After contact with skin, wash immediately with plenty of clean water.



In case of contact with eyes rinse immediately with plenty of clean water and seek medical advice. Limited to professional use only.

STAR
SMART
BUILDING SOLUTIONS

Product Portfolio

- ✓ **STAR AAC**
Alternative to Clay Bricks
- ✓ **STAR Block Jointing Mortar**
Adhesive for Joining the AAC Blocks
- ✓ **STAR TiloSetter Tile Adhesive**
TiloSetter - For Small Floor Tiles
Premium - For Medium Floor & Wall Tiles
Elite - For Stone & Large Floor & Wall Tiles
Ultima - For Heavy Marbles & Glass Mosaic Tiles
- ✓ **STAR TiloKlean Tiles Cleaning Solution**
- ✓ **STAR GroutSolidSeal (Cement Based)**
To Fill Up Gaps for Domestic Tiles
- ✓ **STAR GroutSolidSeal (Epoxy Based)**
To Fill Up Gaps for Industrial & Commercial Tiles
- ✓ **STAR RMX Ready Mix Plaster**
For both Interior & Exterior Plastering of Walls
- ✓ **STAR WaterPruf**
Integral Waterproofing Compound
W1 - Concrete Mix
- ✓ **STAR WaterPruf SBR Latex**
W2 - Concrete Protector
W3 - For Hairline Cracks
W4 - For Hairline Cracks (Premium)
W5 - For Cracks up to 1mm
W6 - For Cracks up to 2mm
- ✓ **STAR UltimaSmooth Wall Putty**
For Creating a Smooth & Even Wall Surface
- ✓ **STAR Dhalai Master CoverBlock**
For Ensuring Reinforcing Bars or Rebars are put into the Concrete at the Proper Depth

Star Smart Building Solutions Ltd.

Gopinath Bordoloi Road, Vill. Chamatapathar, Dist. Kamrup(M), Guwahati – 782402, Assam

www.starcement.co.in | Toll Free No.: 1800 345 345 00 | Star Cement