

# STAR CEMENT MEGHALAYA LIMITED

CIN : U63090ML2005PLC008011

Corporate Office : Century House, P-15/1, Taratala Road, 2nd Floor, Kolkata - 700088 e-mail: [kolkata@starcement.co.in](mailto:kolkata@starcement.co.in)

Ref: SCML-MLA/EHS/LUMS/2025-26/57

Dated: 05/11/2025

To,

The Member Secretary,  
Meghalaya State Pollution Control Board,  
'ARDEN' Lumpyngngad, Shillong – 793014

**Subject : Submission of Environmental Monitoring Report for the month of October, 2025.**

**Reference : MPCB/ONLINE/RCTO(R-I)/EJHD/2021/2023-2024/30, Dtd: Shillong, the 27<sup>th</sup> September, 2023.**

Dear Sir,

This is in reference to above cited subject, we are hereby submitting the Monthly Environmental monitoring reports of Ambient Air Quality monitoring including Meteorological data, Fugitive Emission, Noise & Surface water monitoring reports of **Brishyrnot Limestone Mine -I (MLA 42.051 Ha)** of **Star Cement Meghalaya Limited** for the month of **October, 2025**.

This is for your kind information, record and kindly acknowledges receipt of the same.

Thanking You,

Yours truly,

For **STAR CEMENT MEGHALAYA LIMITED**



Lokesh Kumar Bahety  
Unit Head





Enclosed: a/a











# STAR CEMENT MEGHALAYA LIMITED





Lumshnong, Meghalaya





Date (DD-MM-YYYY)	Pressure (mmHg)	Relative Humidity (%)	Temp. (C)	Manual Rain (mm)
01-10-2025	935.6	91.1	27.0	47.2
02-10-2025	942.9	92.0	28.2	25.8
03-10-2025	938.2	86.4	29.8	0.0
04-10-2025	952.7	90.5	27.5	10.6
05-10-2025	952.3	91.6	29.4	11.2
06-10-2025	954.8	93.4	30.1	62.0
07-10-2025	950.4	88.9	28.1	32.8
08-10-2025	942.1	87.5	29.2	7.6
09-10-2025	939.3	89.4	30.3	0.0
10-10-2025	943.8	87.6	30.5	2.2
11-10-2025	948.7	92.3	27.9	5.6
12-10-2025	938.1	88.8	28.5	0.0
13-10-2025	937.5	84.9	29.1	0.0
14-10-2025	938.2	85.3	31.4	0.0
15-10-2025	938.5	86.5	31.9	0.0
16-10-2025	940.2	85.7	31.3	0.0
17-10-2025	939.9	84.2	32.1	0.0
18-10-2025	934.3	82.5	32.4	0.0
19-10-2025	941.1	81.8	31.9	0.0
20-10-2025	932.4	79.5	32.8	0.0
21-10-2025	942.9	80.6	29.7	0.0
22-10-2025	947.4	81.4	28.1	0.0
23-10-2025	951.1	81.2	28.4	0.0
24-10-2025	952.3	82.5	26.5	3.1
25-10-2025	951.2	82.3	23.8	0.0
26-10-2025	948.5	80.4	26.2	0.0
27-10-2025	934.7	77.3	27.0	0.0
28-10-2025	942.8	83.6	27.1	0.0
29-10-2025	951.7	88.0	23.1	0.0
30-10-2025	950.6	90.7	24.5	3.7
31-10-2025	957.9	91.1	24.0	2.1
			<b>Total</b>	<b>213.9</b>





	<b>STAR CEMENT MEGHALAYA LIMITED</b> Brishyrrnot Limestone Mine - I (MLA 42.051 Ha) Lumshnong, Meghalaya		Reference No.	SCML/Env/F – 01
			Issue No.	1
			Date of Issue:	24.08.2013
	<b>AMBIENT AIR QUALITY MONITORING REPORT</b>		Revision No.	5
			Date of Rev.	01.12.2020
Reference No.: SCML/ENV/AAQM/MONTHLY/2025-26/07			Month : October'25	
Location of Sampling: Near Boundary Pillar no. 07		GPS Coordinate: 25°10'27.28"N 92°25'21.48"E		
Sampling Duration:	24 Hrs.	24 Hrs.	24 Hrs.	24 Hrs.
Date of Sampling	PM <sub>10</sub> (µg/m³)	PM <sub>2.5</sub> (µg/m³)	SO <sub>2</sub> (µg/m³)	NO <sub>2</sub> (µg/m³)
15-10-2025	35.92	18.53	12.48	8.22
29-10-2025	37.59	17.18	12.67	8.43
NAAQS permissible limits for Rural, Industrial, Residential Area	100 (µg/m³)	60 (µg/m³)	80 (µg/m³)	80 (µg/m³)
Remarks: All the analyzed parameters are well within the permissible limits of NAAQ Standards , Notification dated 18th November 2009.				
 Analysed by		 Checked By		 Verified By





	<b>STAR CEMENT MEGHALAYA LIMITED</b> Brishyrrnot Limestone Mine - I (MLA 42.051 Ha) Lumshnong, Meghalaya		Reference No.	SCML/Env/F – 01
			Issue No.	1
			Date of Issue:	24.08.2013
			Revision No.	5
	<b>AMBIENT AIR QUALITY MONITORING REPORT</b>		Date of Rev.	01.12.2020
Reference No.: SCML/ENV/AAQM/MONTHLY/2025-26/07				
Location of Sampling: Near Boundary Pillar no.18		GPS Coordinate: 25°10'18.01" N 92°25'32.35"E		
Sampling Duration:	24 Hrs.	24 Hrs.	24 Hrs.	24 Hrs.
Date of Sampling	PM <sub>10</sub> (µg/m <sup>3</sup> )	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	SO <sub>2</sub> (µg/m <sup>3</sup> )	NO <sub>2</sub> (µg/m <sup>3</sup> )
15-10-2025	34.92	17.46	13.24	9.02
29-10-2025	35.45	16.99	11.59	9.43
NAAQS permissible limits for Rural, Industrial, Residential Area	100 (µg/m <sup>3</sup> )	60 (µg/m <sup>3</sup> )	80 (µg/m <sup>3</sup> )	80 (µg/m <sup>3</sup> )
Remarks: All the analyzed parameters are well within the permissible limits of NAAQ Standards , Notification dated 18th November 2009.				
 Analysed by		 Checked By		 Verified By

	<b>STAR CEMENT MEGHALAYA LIMITED</b> Brishyrrnot Limestone Mine - I (MLA 42.051 Ha) Lumshnong, Meghalaya			Reference No.	SCML/Env/F – 01
				Issue No.	1
	<b>AMBIENT AIR QUALITY MONITORING REPORT</b>			Date of Issue:	24.08.2013
				Revision No.	5
				Date of Rev.	01.12.2020
Reference No.: SCML/ENV/AAQM/MONTHLY/2025-26/07				Month : October'25	
Location of Sampling: Between Boundary Pillar no.27 & 28				GPS Coordinate: 25°10'17.95"N 92°25'02.643"E	
Sampling Duration:	24 Hrs.	24 Hrs.	24 Hrs.	24 Hrs.	24 Hrs.
Date of Sampling	PM <sub>10</sub> (µg/m <sup>3</sup> )	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	SO <sub>2</sub> (µg/m <sup>3</sup> )	NO <sub>2</sub> (µg/m <sup>3</sup> )	
15-10-2025	37.26	16.95	13.92	9.15	
29-10-2025	36.45	18.02	13.57	10.41	
NAAQS permissible limits for Rural, Industrial, Residential Area	100 (µg/m <sup>3</sup> )	60 (µg/m <sup>3</sup> )	80 (µg/m <sup>3</sup> )	80 (µg/m <sup>3</sup> )	
Remarks: All the analyzed parameters are well within the permissible limits of NAAQ Standards , Notification dated 18th November 2009.					
 Analysed by		 Checked By		 Verified By	

	<b>STAR CEMENT MEGHALAYA LIMITED</b> <b>Brishyrnot Limestone Mine - I (MLA 42.051 Ha)</b> <b>Lumshnong, Meghalaya</b>			Reference No.	SCML/Env/F - 01
				Issue No.	1
	<b>AMBIENT AIR QUALITY MONITORING REPORT</b>			Date of Issue:	24.08.2013
				Revision No.	5
			Date of Rev.	01.12.2020	
Reference No.: SCML/ENV/AAQM/MONTHLY/2025-26/07			Month : October'25		
Location of Sampling: Star Public School			GPS Coordinate: 25°10'27"N 92°23'08"E		
Sampling Duration:	24 Hrs.	24 Hrs.	24 Hrs.	24 Hrs.	24 Hrs.
Date of Sampling	PM <sub>10</sub> (µg/m³)	PM <sub>2.5</sub> (µg/m³)	SO <sub>2</sub> (µg/m³)	NO <sub>2</sub> (µg/m³)	
03-10-2025	37.24	19.88	16.75	9.47	
23-10-2025	35.87	18.43	15.68	10.09	
NAAQS permissible limits for Rural, Industrial, Residential Area	100 (µg/m³)	60 (µg/m³)	80 (µg/m³)	80 (µg/m³)	
<b>Remarks:</b> All the analyzed parameters are well within the permissible limits of NAAQ Standards , Notification dated 18th November 2009.					
 <b>Analysed by</b>		 <b>Checked By</b>		 <b>Verified By</b>	

	<b>STAR CEMENT MEGHALAYA LIMITED</b> Lumshnong, Meghalaya		Reference No.	SCML/Env/F – 07 (a)
			Issue No.	1
			Date of Issue:	01.12.2018
	<b>FUGITIVE EMISSION REPORT</b>		Revision No.	2
Date of Rev.			01.12.2020	
<b>Ref: SCML/ENV/FUGITIVE/MONTHLY/2025-26/07</b>				
<b>Brishyrnot Limestone Mine - I (MLA 42.051 Ha)</b>				
<b>Month - October'25</b>				
Date	Location	Fugitive Emission Results	As per CPCB/BIS Guideline	
		(in $\mu\text{g}/\text{m}^3$ )	Limit	(in $\mu\text{g}/\text{m}^3$ )
15.10.2026	Near Drilling Point	1198	5000	
15.10.2025	Near Lime Stone loading area	1247	5000	
<div style="display: flex; justify-content: space-between; align-items: flex-end; padding-top: 20px;"> <div>   <b>Analyzed By</b> </div> <div>   <b>Checked By</b> </div> <div>   <b>Verified By</b> </div> </div>				

	<b>STAR CEMENT MEGHALAYA LIMITED</b> (42.051 Ha.) Lumshnong, Meghalaya		Document No.		SCML/EHS/Env/F-03
			Effective Date		01-05-2019
			Revision No.		04
	NOISE LEVEL MONITORING REPORT			Revision Date	
Ref: SCML(LM)/ENV/NOISE/MONTHLY/2025-26/07 <span style="float: right;">Date:-15.10.2025</span>					
<b>Brishyrnot Limestone Mine - I (MLA 42.051 Ha.)</b>					
<b>Month - October'25</b>					
S. No.	Location	Measured Values dB(A) Day time (6:00am to 10:00pm)			Norms In dB(A)
		Min.	Max.	Avg.	
1	<b>Excavator</b>				75
	<b>A) Operator Cabin (Door Open)</b>				
	a) At Low engine RPM	55.4	67.7	61.6	
	b) At High engine RPM	63.5	70.3	66.9	
	<b>B) Operator Cabin(Door Close)</b>				
	a) At Low engine RPM	53.3	63.9	58.6	
	b) At High engine RPM	61.4	66.3	63.9	
	<b>C) Periphery of the Engine</b>				
	a) At 1 mtr. Distance( At low RPM)	58.1	64.3	61.2	
	b) At 1 mtr. Distance (At high RPM)	61.4	70.4	65.9	
	c) At 5 mtr. Distance (At low RPM)	57.0	62.6	59.8	
	d) At 5 mtr. Distance (At high RPM)	63.8	66.6	65.2	
	<b>D) Behind the Engine</b>				
	a) At 1 mtr. Distance( At low RPM)	56.2	65.3	60.8	
	b) At 1 mtr. Distance (At high RPM)	63.1	68.0	65.6	
c) At 5 mtr. Distance (At low RPM)	53.7	63.3	58.5		
d) At 5 mtr. Distance (At high RPM)	61.0	64.9	63.0		
2	<b>Rock Breaker</b>				75
	<b>A) Operator Cabin</b>				
	a) At Low engine RPM	60.5	65.4	63.0	
	b) At High engine RPM	63.4	68.7	66.1	
	<b>B) Rock Breaker Point (At 5 mtr. Distance)</b>				
	a) Left Side	60.7	64.7	62.7	
	b) Right Side	61.4	64.3	62.9	
	c) Front Side	60.8	64.6	62.7	
<div style="display: flex; justify-content: space-between; align-items: flex-end;"> <div>   <b>Analyzed By</b> </div> <div>   <b>Checked By</b> </div> <div>   <b>Verified By</b> </div> </div>					

	<b>STAR CEMENT MEGHALAYA LIMITED</b> (42.051 Ha.) Lumshnong, Meghalaya		Document No.		SCML/EHS/Env/F-03
			Effective Date		01-05-2019
	<b>NOISE LEVEL MONITORING REPORT</b>		Revision No.		04
			Revision Date		01-01-2021
Ref: SCML(LM)/ENV/NOISE/MONTHLY/2025-26/07 <span style="float: right;">Date:-15.10.2025</span>					
<b>Brishyrnot Limestone Mine - I (MLA 42.051 Ha.)</b>					
<b>Month - October'25</b>					
S. No.	Location	Measured Values dB(A) Day time (6:00am to 10:00pm)			Norms In dB(A)
		Min.	Max.	Avg.	
3	<b>Drill Machine</b>				75
	<b>A) Compressor</b>				
	a) At 1 mtr. Distance	62.5	67.0	64.8	
	b) At 5 mtr. Distance	61.2	66.1	63.7	
	<b>B) Drilling Point (At 5 mtr. Distance)</b>				
	a) Left Side	62.2	67.7	65.0	
	b) Right Side	59.8	66.7	63.3	
	c) Front Side	61.5	67.1	64.3	
4	<b>Dozer</b>				75
	<b>A) Operator Cabin</b>				
	a) At Low engine RPM	55.3	63.0	59.2	
	b) At High engine RPM	64.6	69.8	67.2	
	<b>B) Periphery of the Engine</b>				
	a) At 1 mtr. Distance( At low RPM)	61.3	67.4	64.4	
	b) At 1 mtr. Distance (At high RPM)	65.1	71.8	68.5	
	c) At 5 mtr. Distance (At low RPM)	60.2	66.0	63.1	
	d) At 5 mtr. Distance (At high RPM)	62.3	68.7	65.5	
	<b>c) Behind the Engine</b>				
	a) At 1 mtr. Distance( At low RPM)	56.7	68.3	62.5	
	b) At 1 mtr. Distance (At high RPM)	61.1	71.7	66.4	
	c) At 5 mtr. Distance (At low RPM)	55.2	66.4	60.8	
	d) At 5 mtr. Distance (At high RPM)	59.5	68.5	64.0	
5	<b>Dumper</b>				
	<b>A) Empty Dumper</b>				
	a) Open Window	62.2	66.4	64.3	
	b) Close Window	55.3	62.1	58.7	
	<b>B) Loaded Dumper</b>				
	a) Open Window	60.3	67.6	64.0	
	b) Close Window	56.5	62.7	59.6	
<div style="display: flex; justify-content: space-between; align-items: flex-end;"> <div>   <b>Analyzed by</b> </div> <div>   <b>Checked by</b> </div> <div>   <b>Verified By</b> </div> </div>					



# STAR CEMENT MEGHALAYA LIMITED

Lumshnong, Meghalaya

Brishyrot Limestone Mine - I (MLA 42.051 Ha.)

WATER TESTING REPORT- October'25

Reference No.	SCML/EHS/F-04
Issue No.	1
Date of Issue:	24.08.2013
Revision No.	3
Date of Rev.	01.06.2019

Reference No.: SCML/ENV/WATER/MONTHLY/2025-26/07

## Surface Water Analysis Results

Date of sample collection: 01.10.2025

Date of Analysis: 01.10.2025 to 11.10.2025

S.No.	Parameter	Unit	Umtyrngai Nallah		Umutha Nallah		Umso Nalah	Seshympa	Lunar	Lukha	Umbadoh	Tongseng	Lumshnong	Wahiajer	Standards norms as per IS 2296
			Up Stream	Down Stream	Up Stream	Down Stream	Down Stream				Seasonal Spring / Seasonal Nallah				
1	pH	-	7.5	7.4	7.4	7.6	7.5	7.5	7.8	7.7	7.6	7.5	7.6	7.5	6.5 - 8.5
2	Colour	Hazen	Yellowish	Yellowish	Yellowish	Yellowish	Yellowish	Yellowish	Yellowish	Yellowish	Yellowish	Yellowish	Yellowish	Yellowish	10
3	Odour	-	Unobjectionable												
4	Chloride	mg/L	16.2	20.5	18.1	18.4	20.8	19.4	18.7	18.2	19.8	19.6	18.0	18.4	250
5	Total Hardness as CaCO <sub>3</sub>	mg/L	84.5	102.4	118.5	102.4	99.8	95.1	89.9	92.8	105.9	82.8	112.2	86.3	300
6	Suspended Solids	mg/L	43.8	56.9	57.1	60.5	63.9	53.6	59.8	52.1	59.7	53.5	50.8	59.1	-
7	Total Dissolve Solids	mg/L	298.4	268.7	257.2	248.9	279.4	256.2	248.9	258.4	273.4	275.8	311.5	315.6	500
8	Biochemical Oxygen Demand (For 3 days at 27 °C)	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.0
9	Oil & Grease	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-
10	Temperature	° C	24.5	23.9	24.4	24.8	24.2	23.9	24.7	24.7	24.1	24.8	23.7	24.8	-
11	Conductivity	µS/cm	245.9	254.3	251.8	267.4	263.2	266.4	274.3	248.6	232.5	240.8	262.8	254.4	-
12	Flow	L / Min	1523.7	1678.4	863.4	945.2	564.3	9875.3	2296.7	93172.3	997.4	1024.5	1078.9	894.5	-

Shailendra Kumar

Analyzed by

K. Gaurav

Checked by

Amir

Verified by