MEGHA TECHNICAL & ENGINEERS (PVT.) LIMITED

Regd. Office & Works: Lunshnong, PO-Khaliehriat, Distt. – East Jaintia Hills, Meghalaya-793210 Ph: 03655-278215/16, Fax: 03655-278218

Ref: MTEPL/EHS/LUM/2021-22/02

Dated: 17/05/2021

To,

The Member Secretary Meghalaya State Pollution Control Board 'ARDEN', Lumpyngngad, Shillong - 793014

Subject: Monthly Environmental Monitoring Report.

Ref. No.: MPCB/CON-68/2006(Pt-I)/2019-2020/56, Dated. Shillong, the 2nd July, 2019.

Dear Sir,

Please find enclosed herewith the monthly report of Ambient Air Quality monitoring including meteorological data and Stack Emission monitoring reports of **Megha Technical & Engineers (P) Limited** for the month of **April**, **2021** for your kind perusal.

Kindly acknowledge the receipt of the same.

Thanking you,

Yours faithfully For Megha Technical & Engineers (P) Limited

Qual Authorized Signatory

Enclosed: Monitoring Report for the month of April'21.

\$	MEGHA TECHNICAL & ENGINEERS (P) LIMITED	Reference No.	MTEPL/EHS/EM/F-01		
	Lumshnong, Meghalaya	Issue No.	1		
STARCEMENT			01-06-2019		
Solid Setting		Revision No.	5		
	AMBIENT AIR QUALITY MONITORING REPORT	Date of Rev.	01.01.2021		
Ref: MTEPL/Env/AAQM/Monthly/2021-22/001					

Location of Sampling	: MTEPL, Lumshnong
Date of Sampling	: 01.04.2021 - 02.04.2021
Distance between the Industry and sampling Location	: NA
Time duration of sampling	: 24 hrs.
Weather	: Dry
Total Rain Fall (mm)	: No Rain Fall
Ambient Temperature ([°] C)	
Maximum	: 27.5 0C
Minimum	: 18.2 0C
Relative Humidity (%)	
Maximum	: 96.6 %
Minimum	: 69.1 %
Wind Direction	: W -E
Wind Speed (km/hr.)	: 59.2

	Air Quality	Monitoring Ana		
	St	ation Name & N	lo.	
Pollutants	1	2	3	
i onatanto	(Near Time	(Near Pump	(Near Worker	National Ambient Air Quality
	Office)	House)	Colony)	Standards Permissible Limits for
	M /001/21-22	M /002/21-22	M /003/21-22	Rural, Ind., Residential Area
	25*10'42"N	25*10'42"N	25*10'46"N	
GPS Coordinate	92*23'19"E 925	92*23'32"E	92*23'17"E 932	
	m	919 m	m	
Suspended Particulate Matter (Size less than				
10 μm) or PM10 μg/m3	52.8	49.8	52.9	100
Suspended Particulate Matter (Size less than				
2.5 μm) or PM2.5 μg/m3	24.0	26.3	24.9	60
Sulphur Dioxide SO2 (μg/m3)	7.3	7.3	8.2	80
Nitrogen Dioxide NO2 (μg/m3)	10.9	11.1	11.3	80

Remarks: The parameters analyzed were found to be within the permissible limits of Ambient Air Quality Standards (National) for Rural Areas as per National Ambient Air Quality Standards, Notification dated 18th November 2009.

- 23 Analyzed By

Melomo

Checked By

Mhath Verified By

MEGHA TECHNICAL & ENGINEERS (P) LIMITED		Reference No.	MTEPL/EHS/EM/F-01
Ś	Lumshnong, Meghalaya		1
STARCEMENT Solid Setting	<i>o, o i</i>	Date of Issue:	01-06-2019
	AMBIENT AIR QUALITY MONITORING REPORT	Revision No.	5
		Date of Rev.	01.01.2021

Location of Sampling	: MTEPL, Lumshnong
Date of Sampling	: 23.04.2021 - 24.04.2021
Distance between the Industry and sampling Location	: NA
Time duration of sampling	: 24 hrs.
Weather	: Dry
Total Rain Fall (mm)	: No Rain Fall
Ambient Temperature ([°] C)	
Maximum	: 28.3 0C
Minimum	: 19.0 0C
Relative Humidity (%)	
Maximum	: 94.4 %
Minimum	: 60.0 %
Wind Direction	: NW-SE
Wind Speed (km/hr.)	: 12.9

	Air Quality Monitoring Analysis Result				
	St	ation Name & N			
Pollutants	1	2	3		
Fondants	(Near Time	(Near Pump	(Near Worker	National Ambient Air Quality	
	Office)	House)	Colony)	Standards Permissible Limits for	
	M /004/21-22	M /005/21-22	M /006/21-22	Rural, Ind., Residential Area	
	25*10'42"N	25*10'42"N	25*10'46"N		
GPS Coordinate	92*23'19"E 925	92*23'32"E	92*23'17"E 932		
	m	919 m	m		
Suspended Particulate Matter (Size less than					
10 μm) or PM10 μg/m3	48.4	53.9	54.5	100	
Suspended Particulate Matter (Size less than					
2.5 μm) or PM2.5 μg/m3	25.1	31.6	27.3	60	
Sulphur Dioxide SO2 (μg/m3)	8.2	6.4	7.3	80	
Nitrogen Dioxide NO2 (μg/m3)	12.8	12.4	12.8	80	

23 Analyzed By

Melor

Checked By

(Mhath Verified By

MEGHA TECHNICAL & ENGINEERS (P) LIMITED		Reference No.	MTEPL/EHS/EM/F-01
Ś	Lumshnong, Meghalaya		1
STARCEMENT Solid Setting	<i>o, o i</i>	Date of Issue:	01-06-2019
	AMBIENT AIR QUALITY MONITORING REPORT	Revision No.	5
		Date of Rev.	01.01.2021

: MTEPL, Lumshnong
: 24.04.2021 - 25.04.2021
: NA
: 24 hrs.
: Dry
: No Rain Fall
: 30.3 0C
: 18.1 OC
: 91.4 %
: 45.1 %
: N-S
: 5.7

	Air Quality Monitoring Analysis Result				
	St	ation Name & N	lo.		
Pollutants	1	2	3		
i onatanto	(Near Time	(Near Pump	(Near Worker	National Ambient Air Quality	
	Office)	House)	Colony)	Standards Permissible Limits for	
	M /007/21-22	M /008/21-22	M /009/21-22	Rural, Ind., Residential Area	
	25*10'42"N	25*10'42"N	25*10'46"N		
GPS Coordinate	92*23'19"E 925	92*23'32"E	92*23'17"E 932		
	m	919 m	m		
Suspended Particulate Matter (Size less than					
10 μm) or PM10 μg/m3	39.5	44.3	53.8	100	
Suspended Particulate Matter (Size less than					
2.5 μm) or PM2.5 μg/m3	28.6	31.8	33.5	60	
Sulphur Dioxide SO2 (μg/m3)	8.4	7.3	7.9	80	
Nitrogen Dioxide NO2 (μg/m3)	13.7	12.6	14.7	80	

23

Analyzed By

Checked By

What Verified By

MEGHA TECHNICAL & ENGINEERS (P) LIMITED		Reference No.	MTEPL/EHS/EM/F-01
Ś	Lunismong, Weghalaya	Issue No.	1
STARCEMENT Solid Setting		Date of Issue:	01-06-2019
	AMBIENT AIR QUALITY MONITORING REPORT	Revision No.	5
	AWDIENT AIR QUALITY MONITORING REPORT	Date of Rev.	01.01.2021

Location of Sampling	: MTEPL, Lumshnong
Date of Sampling	: 26.04.2021 - 27.04.2021
Distance between the Industry and sampling Location	: NA
Time duration of sampling	: 24 hrs.
Weather	: Dry
Total Rain Fall (mm)	: No Rain Fall
Ambient Temperature ([°] C)	
Maximum	: 30.0 OC
Minimum	: 18.0 0C
Relative Humidity (%)	
Maximum	: 90.3 %
Minimum	: 40.0 %
Wind Direction	: E-W
Wind Speed (km/hr.)	: 10.7

	Air Quality Monitoring Analysis Result				
	St	ation Name & N			
Pollutants	1	2	3		
	(Near Time	(Near Pump	(Near Worker	National Ambient Air Quality	
	Office)	House)	Colony)	Standards Permissible Limits for	
	M /010/21-22	M /011/21-22	M /012/21-22	Rural, Ind., Residential Area	
	25*10'42"N	25*10'42"N	25*10'46"N		
GPS Coordinate	92*23'19"E 925	92*23'32"E	92*23'17"E 932		
	m	919 m	m		
Suspended Particulate Matter (Size less than					
10 μm) or PM10 μg/m3	46.0	50.5	56.7	100	
Suspended Particulate Matter (Size less than					
2.5 μm) or PM2.5 μg/m3	29.0	34.5	31.7	60	
Sulphur Dioxide SO2 (μg/m3)	6.4	5.7	10.1	80	
Nitrogen Dioxide NO2 (μg/m3)	11.3	11.3	13.8	80	

vit

Analyzed By

Momo

Checked By

What Verified By

STARCEMENT Solid Setting	MEGHA TECHNICAL & ENGINEERS (P) LIMITED	Reference No.	MTEPL/EHS/EM/F-01
	Lumshnong, Meghalaya	Issue No.	1
		Date of Issue:	01-06-2019
	AMBIENT AIR QUALITY MONITORING REPORT	Revision No.	5
		Date of Rev.	01.01.2021

Location of Sampling	: MTEPL, Lumshnong		
Date of Sampling	: 27.04.2021 - 28.04.2021		
Distance between the Industry and sampling Location	: NA		
Time duration of sampling	: 24 hrs.		
Weather	: Dry		
Total Rain Fall (mm)	: No Rain Fall		
Ambient Temperature (⁰ C)			
Maximum	: 29.3 0C		
Minimum	: 17.2 OC		
Relative Humidity (%)			
Maximum	: 88.2 %		
Minimum	: 51.2 %		
Wind Direction	: NE-SW		
Wind Speed (km/hr.)	: 5.7		

	Air Quality Monitoring Analysis Result				
	Station Name & No.				
Pollutants	1	2	3		
i onatanto	(Near Time	(Near Pump	(Near Worker	National Ambient Air Quality	
	Office)	House)	Colony)	Standards Permissible Limits for	
	M /013/21-22	M /014/21-22	M /015/21-22	Rural, Ind., Residential Area	
	25*10'42"N	25*10'42"N	25*10'46"N		
GPS Coordinate	92*23'19"E 925	92*23'32"E	92*23'17"E 932		
	m	919 m	m		
Suspended Particulate Matter (Size less than					
10 μm) or PM10 μg/m3	48.4	54.4	47.5	100	
Suspended Particulate Matter (Size less than					
2.5 μm) or PM2.5 μg/m3	31.2	36.7	30.9	60	
Sulphur Dioxide SO2 (µg/m3)	7.7	6.0	7.5	80	
Nitrogen Dioxide NO2 (μg/m3)	10.4	12.2	13.2	80	

23

Analyzed By

Mons

Checked By

half Verified By

STARCEMENT Solid Setting	MEGHA TECHNICAL & ENGINEERS (P) LIMITED Lumshnong, Meghalaya	Reference No.	MTEPL/EHS/EM/F-01
		Issue No.	1
	5	Date of Issue:	01-06-2019
	AMBIENT AIR QUALITY MONITORING REPORT	Revision No.	5
		Date of Rev.	01.01.2021

Location of Sampling	: MTEPL, Lumshnong
Date of Sampling	: 30.04.2021 - 01.05.2021
Distance between the Industry and sampling Location	: NA
Time duration of sampling	: 24 hrs.
Weather	: Dry
Total Rain Fall (mm)	: No Rain Fall
Ambient Temperature ([°] C)	
Maximum	: 31.0 OC
Minimum	: 18.1 0C
Relative Humidity (%)	
Maximum	: 78.3 %
Minimum	: 38.1 %
Wind Direction	: NE-SW
Wind Speed (km/hr.)	: 7.4

	Air Quality Monitoring Analysis Result				
	Station Name & No.				
Pollutants	1	2	3		
	(Near Time	(Near Pump	(Near Worker	National Ambient Air Quality	
	Office)	House)	Colony)	Standards Permissible Limits for	
	M /016/21-22	M /017/21-22	M /018/21-22	Rural, Ind., Residential Area	
	25*10'42"N	25*10'42"N	25*10'46"N		
GPS Coordinate	92*23'19"E 925	92*23'32"E	92*23'17"E 932		
	m	919 m	m		
Suspended Particulate Matter (Size less than					
10 μm) or PM10 μg/m3	55.7	46.8	60.2	100	
Suspended Particulate Matter (Size less than					
$2.5 \mu\text{m}$) or PM2.5 $\mu\text{g/m}$ 3	34.0	34.8	27.6	60	
Sulphur Dioxide SO2 (μg/m3)	9.4	6.9	7.9	80	
Nitrogen Dioxide NO2 (µg/m3)					
	15.7	9.8	15.2	80	

23

Analyzed By

Melon

Checked By

Mhal Verified By